



**SIRIM QAS INTERNATIONAL SDN. BHD.** (410334-X)

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia  
Tel : 60-3-5544 6400 Faks : 60-3-5544 6797 www.sirim-qas.com.my

File No : P5-015766  
Licence No : PC005454

Date : 10/01/2022

TONN CABLE SDN BHD  
LOT 1 (PT 54), JALAN PERUSAHAAN 5  
KAWASAN PERUSAHAAN BERANANG  
43700 BERANANG  
SELANGOR, MALAYSIA

Attn : KHOO KHAI SIAN

Tel No : 03-876698888

Fax No : 03-87668111

Dear Sir/Madam,

**Product Certification Licence**

Product : FLEXIBLE CABLES  
Standard : MS 2112-5 : 2009, AMD. 1 : 2017

---

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : MUHAMAD ZULHANIZAM BIN IBRAHIM  
Contact No : 603-55445191  
Email : hanizam@sirim.my

Thank you.

*This is a computer generated document. No signature is required.*

## LESEN PENSIJILAN BARANGAN

*Product Certification Licence*



SIRIM

**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada**  
*SIRIM QAS International Sdn. Bhd. hereby grants to*

**TONN CABLE SDN BHD**  
**LOT 1 (PT 54), JALAN PERUSAHAAN 5**  
**KAWASAN PERUSAHAAN BERANANG**  
**43700 BERANANG**  
**SELANGOR, MALAYSIA**

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan**  
*a licence to use the Certification Mark on*

**FLEXIBLE CABLES**

**Please refer to detail in the SCHEDULE**

**sebagai mematuhi keperluan**  
*as complying with*

**MS 2112-5 : 2009, AMD. 1 : 2017**



**Nur Fadhilah binti Muhammad**  
Ketua Pegawai Eksekutif  
*Chief Executive Officer*  
SIRIM QAS International Sdn. Bhd.



# SCHEDULE

TONN CABLE SDN BHD



Trade Mark : TONN CABLE  
Model : LIGHT PVC SHEATHED, FLEXIBLE CABLE, PLAIN ANNEALED COPPER CLASS  
5 MAXIMUM TEMPERATURE 70°C  
Rating : 300/300V  
Type : MS VVF 20  
Size : 2-CORE, 3 CORE (0.5,0.75)mm<sup>2</sup>

Trade Mark : TONN CABLE  
Model : ORDINARY PVC SHEATHED, FLEXIBLE CABLE, PLAIN ANNEALED COPPER  
CLASS 5 MAXIMUM TEMPERATURE 70°C  
Rating : 300/500V  
Type : MS VVF 21  
Size : 2 CORE, 3 CORE, 4 CORE, 5 CORE (0.75, 1, 1.25,1.5,2.5,4)mm<sup>2</sup>

---

**End of page**

---