



**SIRIM QAS INTERNATIONAL SDN. BHD.** (410334-X)

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia  
Tel : 60-3-5544 6400 Faks : 60-3-5544 6797 www.sirim-qas.com.my

File No : P5-006934  
Licence No : PL000006

Date : 21/04/2022

TONN CABLE SDN BHD  
LOT 1 (PT 54), JALAN PERUSAHAAN 5  
KAWASAN PERUSAHAAN BERANANG  
43700 BERANANG  
SELANGOR, MALAYSIA

Attn : MR. KHOO KHAI SIAN

Tel No : 03-87669888

Fax No : 03-87668111

Dear Sir/Madam,

**Product Listing Licence**

Product : PVC INSULATED PVC SHEATHED FLEXIBLE DC CABLES  
Standard : TMB SPECIFICATION: ( B.19 OF CHAPTER B)

---

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Listing Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : MUHAMAD ZULHANIZAM BIN IBRAHIM  
Contact No : 603-55445191  
Email : hanizam@sirim.my

Thank you.

*This is a computer generated document. No signature is required.*

## **SIJIL BARANGAN TERSENARAI** *Product Listing Certificate*



**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada  
SIRIM QAS International Sdn. Bhd. hereby grants to**

**TONN CABLE SDN BHD  
LOT 1 (PT 54), JALAN PERUSAHAAN 5  
KAWASAN PERUSAHAAN BERANANG  
43700 BERANANG  
SELANGOR, MALAYSIA**

**Sijil untuk menggunakan Tanda Barangan Tersenarai  
a certificate to use the Listed Product Mark on**

**PVC INSULATED PVC SHEATHED FLEXIBLE DC CABLES**

**Please refer to detail in the SCHEDULE**

**sebagai mematuhi keperluan  
as complying with**

**TMB Specification: ( B.19 of Chapter B)**



**Nur Fadhilah binti Muhammad**  
Ketua Pegawai Eksekutif  
*Chief Executive Officer*  
SIRIM QAS International Sdn. Bhd.



# SCHEDULE

TONN CABLE SDN BHD



Trade Mark : TONN CABLE  
Model : PVC INSULATED PVC SHEATHED FLEXIBLE PLAIN ANNEALED COPPER  
CONDUCTOR  
Rating : 600/1000V  
Type : CLASS 6 CONDUCTOR  
Size : SINGLE CORE ( 25, 35, 50, 70, 95, 120, 150, 185 & 240 ) SQMM

---

*End of page*

---