



**SIRIM QAS INTERNATIONAL SDN. BHD.** (410334-X)

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia  
Tel : 60-3-5544 6400 Faks : 60-3-5544 6797 www.sirim-qas.com.my

File No : P5-001077  
Licence No : PT049502

Date : 14/04/2022

TONN CABLE SDN BHD  
LOT 1 (PT 54), JALAN PERUSAHAAN 5  
KAWASAN PERUSAHAAN BERANANG  
43700 BERANANG  
SELANGOR, MALAYSIA

Attn : MR. KHOO KHAI SIAN

Tel No : 03-87669888

Fax No : 03-87668111

Dear Sir/Madam,

**Product Certification Licence**

Product : POWER CABLES WITH EXTRUDED SOLID INSULATION  
Standard : IEC 60502-1 : 2004

---

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : MUHAMAD ZULHANIZAM BIN IBRAHIM  
Contact No : 603-55445191  
Email : hanizam@sirim.my

Thank you.

*This is a computer generated document. No signature is required.*

## LESEN PENSIJILAN BARANGAN

*Product Certification Licence*



SIRIM

**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada  
SIRIM QAS International Sdn. Bhd. hereby grants to**

**TONN CABLE SDN BHD  
LOT 1 (PT 54), JALAN PERUSAHAAN 5  
KAWASAN PERUSAHAAN BERANANG  
43700 BERANANG  
SELANGOR, MALAYSIA**

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan  
a licence to use the Certification Mark on**

**POWER CABLES WITH EXTRUDED SOLID INSULATION**

**Please refer to detail in the SCHEDULE**

**sebagai mematuhi keperluan  
as complying with**

**IEC 60502-1 : 2004**



**Nur Fadhilah binti Muhammad**  
Ketua Pegawai Eksekutif  
*Chief Executive Officer*  
SIRIM QAS International Sdn. Bhd.



# SCHEDULE

## TONN CABLE SDN BHD



**SIRIM**

Trade Mark	: TONN CABLE
Model	: XLPE-INSULATED, PVC-SHEATHED, ARMOURED CABLE, STRANDED PLAIN ANNEALED COPPER CONDUCTOR, 2-CORE, 3-CORE & 4-CORE (1.5, 2.5, 4, 6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400) SQ. MM.
Rating	: 600/1000V
Trade Mark	: TONN CABLE
Model	: XLPE-INSULATED, PVC-SHEATHED, NON-ARMOURED, SINGLE CORE, STRANDED CIRCULAR PLAIN ANNEALED COPPER CONDUCTOR (1.5, 2.5, 4, 6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400, 500, 630) SQ. MM.
Rating	: 600/1000V
Trade Mark	: TONN CABLE
Model	: XLPE-INSULATED, PVC-SHEATHED, ARMOURED CABLE, STRANDED CIRCULAR PLAIN ANNEALED COPPER CONDUCTOR, SINGLE CORE (1.5, 2.5, 4, 6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400, 500, 630) SQ. MM.
Rating	: 600/1000V
Trade Mark	: TONN CABLE
Model	: XLPE-INSULATED, PVC-SHEATHED, NON-ARMOURED CABLE, STRANDED PLAIN ANNEALED COPPER CONDUCTOR, 2-CORE, 3-CORE & 4-CORE (1.5, 2.5, 4, 6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400) SQ. MM.
Rating	: 600/1000V
Trade Mark	: TONN CABLE
Model	: POLYETHYLENE (PE) INSULATED AERIAL BUNDLE CABLE (ABC), 3-CORE (185mm <sup>2</sup> + 120mm <sup>2</sup> + 16mm <sup>2</sup> )
Rating	: 600/1000V

**End of page**