



SIRIM QAS INTERNATIONAL SDN. BHD. (410334-X)

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 60-3-5544 6400 Faks : 60-3-5544 6797 www.sirim-qas.com.my

File No : P5-007612
Licence No : PC000761

Date : 20/09/2022

TONN CABLE SDN BHD
LOT 1 (PT 54), JALAN PERUSAHAAN 5
KAWASAN PERUSAHAAN BERANANG
43700 BERANANG
SELANGOR, MALAYSIA

Attn : MR. KHOO KHAI SIAN

Tel No : 03-87669888

Fax No : 03-87668111

Dear Sir/Madam,

Product Certification Licence

Product : ARMOURED 600/1000V MULTI CORE PVC INSULATED, PVC SHEATHED CABLES
Standard : MS 2103 : 2007

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : MUHAMAD ZULHANIZAM BIN IBRAHIM
Contact No : 603-55445191
Email : hanizam@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

**TONN CABLE SDN BHD
LOT 1 (PT 54), JALAN PERUSAHAAN 5
KAWASAN PERUSAHAAN BERANANG
43700 BERANANG
SELANGOR, MALAYSIA**

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

ARMOURED 600/1000V MULTI CORE PVC INSULATED, PVC SHEATHED CABLES

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

MS 2103 : 2007



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

TONN CABLE SDN BHD



SIRIM

Trade Mark : TONN CABLE
Model : PVC INSULATED, ARMOURED, STRANDED, CLASS 2 PLAIN ANNEALED
COPPER CONDUCTOR
Rating : 600/1000V
Size : 2-CORE, 3-CORE, 4-CORE, 5-CORE (1.5, 2.5, 4, 6, 10, 16, 25) mm²

Trade Mark : TONN CABLE
Model : PVC INSULATED, PVC SHEATHED, ARMOURED AUXILIARY CABLES, CLASS 2
PLAIN ANNEALED COPPER CONDUCTOR
Rating : 600/1000V
Size : 7-CORE, 12-CORE, 19-CORE, 27-CORE, 37-CORE, 48-CORE (1.5, 2.5, 4) mm²

End of page
